



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/797/162/03/19/0985**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **HONEYWELL SAFETY PRODUCTS EUROPE**
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958
France

Description


PPE Type : **protective glove against chemical risks , microorganisms risks**

Product reference : **45 800 91**

Glove description : **5 fingers glove, blue translucent nitrile, lightly powered**

Available sizes : **07 - S 08 - M 09 - L 10 - XL**

Pictures :



Address:
HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016

TYPE C

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC 0075)

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from March 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Lionel GAUDILLERE
PPE Certification Manager

Date of first issue : 26 March 2019
End of validity date : 26 March 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	45 800 91
Article code	:	
Technical file index	:	01
Last update	:	March 2019

GLOVE DESCRIPTION

General glove description :

5 fingers glove, blue translucent nitrile, lightly powered

type of coating finish : no coating

Visual description (picture back and palm sides) :



Field of use

Low Chemical risks, Micro-organism

Automotive and Part Manufacturer, Aviation, Catering, Chemical Industries, Food Industries, Industrial Cleaning, Laboratory, Maintenance, Medical and Pharmaceutical, Petro-chemical, Printing Industries, Water treatment

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	07 - S
245	08 - M
250	09 - L
260	10 - XL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2916208	Blue	Nitrile			0,1 mm
Back	2916208	Blue	Nitrile			0,1 mm
Cuff	2916208	Blue	Nitrile			0,1 mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against chemical risks , microorganisms risks.

It is a category III product, module C2

Notified Body Reference : CTC (0075)

Parc Tony Garnier 4, rue Hermann Frenkel 69367 Lyon

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1 : 2016

Type :	Type C
---------------	--------

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Sodium hydroxide 40%	1310-73-2	K	6	-14,7%
Formaldehyde 37%	50-00-0	T	6	20,0%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism
Uncontrolled against viruses


TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L190304321_1	
EN 388	L180101527_1	
EN 374-2	L180101527_1 L180101529_1	
EN 16523-1	L160711412_1 L160712768_1 L170100327_1 L160711412_1	
Other	L180101528_1	IP1407-0432-2

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 45 800 91

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Address:
HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Method of marking on the glove :

Marking on the box

Packaging :

The carton contains 10 boxes of 100 gloves, so 1000 gloves per

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>

MEANS OF CONTROL

Final Inspection : in accordance to ISO 2859 level 2.

Major defects : NQA = 0,65 / Minor defects : NQA = 0,65.

Sampling Plan		Quantity of acceptable defects	
Lot Quantity	Sample Quantity	Minor Defects	Major Defects
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5