

PRODUCT NUMBER: 3302152 QM24+ Earmuff

Learn more about our products at howardleight.com

Learn more about hearing conservation at hearforever.org >



Overview

Reference Number 3302152

Product Type Hearing Protection

Range Earmuffs

Line

Noise Blocking Earmuffs Brand

Howard Leight by Honeywell

Brand formerly known as HOWARD LEIGHT

Industry

Industry
 Administration
 Agriculture
 Army - Defence
 ATEX environment

>

- Automotive and Part Manufacturer
 Aviation
 Building and Construction
 Catering
- Chemical Industries
 Energy or Electricity
 Fire Protection brigades
 Fishing
 Food Industries
- Foundry
 Glass Industries
 Green Spaces
 Homeland defense
 Industrial Cleaning
- Iron and steel industry
 Laboratory
 Logistics
 Maintenance
 Medical and Pharmaceutical Metal steel
 Minning and Quarrying
 Offshore
 Paper Industries
 Petro-chemical
- Printing Industries
 Services
 Ship Building
 Telecoms
 Textile Industries
 Transportation
- Utilities
 Water treatment
 Welding
 Wood Industries

Product Use

Noise Blocking Earmuff

Features & Benefits

Feature

Dielectric Design Usable in work environments with electricity. Low Weight Light makes all-day wear more comfortable. Broad Ear Cushions Comfort for all sizes and headband positions.

Benefit

Sets new records for value for money hearing protection.

Technical Description

SNR (dB)

25,26,25 **H (dB)**

30,29,30

M (dB) 23,23,22

L (dB)

14,15,14

Attenuation Data

H=30 M=23L=14BEHIND HEAD SNR 25dBFrequency (Hz)Frequenz (Hz)Fréquence (Hz) 631252505001000200040008000Mean Attenuation (dB)Mittlere Dämmung (dB)Atténuation moyenne (dB) 10.511.315.924.332.632.932.534.5Standard Deviation (dB)Standardabweichung (dB)Déviation standard (dB) 4.53.82.62.74.33.73.93.3Assumed Protection (dB)Angenommener (dB)Protection suppossé (dB)6.07.513.321.628.329.228.631.2H=29 M=23L=150VER HEAD SNR 26dBFrequency (Hz)Frequenz (Hz)Fréquence (Hz) 631252505001000200040008000Mean Attenuation (dB)Mittlere Dämmung (dB)Atténuation moyenne (dB) 14.010.616.224.131.231.431.435.4Standard Deviation (dB)Standardabweichung (dB)Déviation standard (dB) 3.92.92.53.23.22.73.03.6Assumed Protection (dB)Angenommener (dB)Protection suppossé (dB)10.17.713.720.928.028.728.431.8H=30 M=22L=14UNDER CHIN SNR 25dBFrequency (Hz)Frequenz (Hz)Fréquence (Hz) 631252505001000200040008000Mean Attenuation (dB)Mittlere Dämmung (dB)Atténuation moyenne (dB) 3.411.316.123.329.732.532.633.9Standard Deviation (dB)Standardabweichung (dB)Déviation standard (dB) 5.44.63.03.92.52.63.43.9Assumed Protection (dB)Angenommener (dB)Protection suppossé (dB)8.06.713.119.427.229.929.230.0

Earmuff Construction

Plastic [or Dielectric]

Dielectric Yes

Color Black and Red

Batteries Needed None

Weight (grs) 300

Headband Style Multiple-Position

Sound Amplification

AM/FM Radio

No

Automatic Shut-Off Function

No

Audio Input Jack

No

Hi-Visibility

Certifications

E.C. Declaration of Conformity EC Category PPE 2 Quality Assurance ISO 9001 / 2000

EC Certificate Number 981047

EC Attestation

EC Attestation Number 9601153

Additional Information

User Manual

Earmuff Instruction Poster - EN

Maintenance

Life Cycle

Cushions should be replaced periodically to retain maximum attenuation. Use the following as a guideline for replacement of ear cushions and insert foam. General use and wear - Ear cushions and foam inserts should be replaced at least every 6 months. Heavy use or wear in humid/extreme climates - Ear cushions and foam inserts should be replaced at least least every 3 months. Cracking or leakage is visible - replace ear cushions and foam inserts immediately.

Storage Information

When not in use, the earmuffs should be stored in a clean dry container or locker. Do not use solvents or petroleum-based products. Do not immerse the earmuffs in water.

Care Instructions

Earmuffs are an important safety product and should be inspected regularly. Its use, care and maintenance are critical to its effective performance. Earmuffs and in particular ear cushions may deteriorate with use and should be examined at frequent intervals for cracking and leakage. If the ear cushions become hard, damaged or deteriorated, they should be replaced promptly using recommended Hygiene Kits. Earmuffs should be maintained by regular cleaning. Use a mild disinfectant solution. A gentle wipe is all that is required.

Parts & Accessories

Accessories

Hygiene kit -

Beltclip - For carrying purpose. Old Ref. # 1000252 New Ref. # 1016730 Cool II Pads - Sweat absorbing pads. Ref. # 1000365 5-pair, Ref. # 1000364 100-pair Optisorb - cotton sleeve slides over earcup. Ref. # 3302101 Polar Hood - Ref. # 1016870 Lg/XLg; Ref. # 1016871 Sm/Med

Honeywell International Inc.